



# FPM-1502B

15inch Industrial Monitor with RFID



## Features

- Flat Panel Screen
- 15inch LCD Panel with capacitive touch screen
- HDMI+VGA Signal Input
- Aluminum Casing
- Front Panel IP65 Level
- Supports VESA Mount / Embedded Mount



FPM-1502B is an 15 inch industrial monitor with RFID, the whole machine is independently molded, and is made of high-strength aluminum alloy frame, the front panel is IP65 waterproof and dustproof, resistant to oil and electromagnetic interference; For more, the power input interface adopts 2Pin aviation connector, and the display adopts industrial-grade 800nits and can be used in harsh industrial environment for a long time stable operation.


## Specifications

|             |                               |                                              |
|-------------|-------------------------------|----------------------------------------------|
| LCD Display | Display Type:                 | 15inch TFT LCD Panel( LCD Backlight)         |
|             | Max. Resolution:              | 1024x768                                     |
|             | Luminance(cd/m <sup>2</sup> ) | 800 nits                                     |
|             | Backlight Lifetime            | 30,000hrs (typical)                          |
|             | View Angle(H°/V°)             | 160/160                                      |
| Features    | Signal Input                  | VGA+ HDMI                                    |
|             | Colors                        | 16.7M                                        |
|             | Response Time                 | 5ms                                          |
| Touchscreen | Touch Type                    | Capacitive Touch Screen                      |
|             | Controller                    | USB interface                                |
| Environment | Operating Temperature         | -10℃ ~ 50℃(14~ 140 °F)                       |
|             | Storage Temperature           | -20℃ ~ 70℃(-4 ~ 158 °F)                      |
|             | Front Panel Protection        | IP65 compliant                               |
| Mechanical  | Dimensions                    | 436×282×43.7mm,<br>Cutout Size 417.9x266.8mm |
|             | Weight                        | N.W. 3.7KG                                   |
|             | Color                         | Black                                        |

|                       |                |                                                |
|-----------------------|----------------|------------------------------------------------|
|                       | Material       | Aluminum                                       |
| <b>Mount Way</b>      | Mount Way      | Panel Mount / VESA Mount (75x75mm & 100x100mm) |
| <b>Input Voltage</b>  | Input Voltage  | 12V 2A ( optional 9V-36V DC )                  |
| <b>Certification</b>  | Certification  | CE / RoHS                                      |
| <b>Custom Service</b> | Custom Service | Custom BIOS, System Encryption, Custom LOGO    |

## Dimensions

Unit: mm







| Packing List                 | Ordering Information                |
|------------------------------|-------------------------------------|
| 1x FPM-1502B                 | FPM-1502B: Capacitive Touch Version |
| HDMI, VGA Cable (2 choose 1) |                                     |
| 1x Power Adapter             |                                     |
| 1x USB Cable                 |                                     |