


FPM-2102K

21.5inch Industrial Monitor



Features

- Flat Panel Screen
- 21.5inch LCD Panel with capacitive touch screen
- HDMI+VGA Signal Input
- Aluminum Casing
- Front Panel IP65 Level
- Supports VESA Mount / Embedded Mount



FPM-2102K is an 21.5 inch industrial monitor, the whole machine is independently molded, and is made of high-strength aluminum alloy frame, the front panel is IP65 waterproof and dustproof, resistant to oil and electromagnetic interference;

For more, the power input interface adopts 2Pin aviation connector, and the display adopts industrial-grade 300nits and can be used in harsh industrial environment for a long time stable operation.


Specifications

LCD Display	Display Type:	21.5inch TFT LCD Panel(LCD Backlight)
	Max. Resolution:	1920x1080
	Luminance(cd/m ²)	300 nits
	Backlight Lifetime	30,000hrs (typical)
	View Angle(H°/V°)	160/160
Features	Signal Input	VGA+ HDMI
	Colors	16.7M
	Response Time	5ms
Touchscreen	Touch Type	Capacitive Touch Screen
	Controller	USB interface
Environment	Operating Temperature	-10℃ ~ 50℃(14~ 140 °F)
	Storage Temperature	-20℃ ~ 70℃(-4 ~ 158 °F)
	Front Panel Protection	IP65 compliant
Mechanical	Dimensions	530.0×326.6×46.0mm Cutout Size 513.0×303.0mm
	Weight	N.W. 5.2KG
	Color	Black
	Material	Aluminum

Mount Way	Mount Way	Panel Mount / VESA Mount (75x75mm & 100x100mm)
Input Voltage	Input Voltage	12V 2A (optional 9V-36V DC)
Certification	Certification	CE / RoHS
Custom Service	Custom Service	Custom BIOS, System Encryption, Custom LOGO

Dimensions

Unit: mm







Packing List	Ordering Information
1x FPM-2102K	FPM-2102K: Capacitive Touch Version
HDMI, VGA Cable (2 choose 1)	
1x Power Adapter	
1x USB Cable	